

Amendments to the Claims:

Claim 1 (currently amended):

An adjustment device which includes:

a base;

a pin upstanding from the base and being supported by the base, the pin having a plurality of grooves;
and

a rotatable cam element having a projection capable of engaging one or more of the grooves to alter
the distance between the base and the cam element[[.]]

~~characterised in that the cam element is adapted to be rotated to a position where the projection engages
none of the grooves and the pin can pass freely through the cam element.~~ :

characterised in that the cam element is adapted to be rotated to a position where the projection
engages none of the grooves and the pin can pass freely through the cam element.

Claim 4 (currently amended):

The device of [[any of one of claim[s] 1 to 3]], claim 1 wherein the grooves are inclined.

Claim 6 (currently amended):

The device of claim 4, wherein the grooves are parallel, the pin has opposing sides and the one set of
grooves is located on one of the sides of the pin and a second set of grooves is located on the opposing
~~dies side~~ of the pin.

Claims 7 – 29 (canceled).

Claim 32 (currently amended):

The building element of claim [[31]] 8, in which there are three channels in each set of channels.

Claim 33 (currently amended):

The building element of claim [[31]] 8, in which the building element has a first arm and a second arm, the first arm being at an angle to the second, each arm including the first set of channels, the second set of channels and the first and second webs.

Claim 34 (currently amended):

The building element of claim [[33]] 10, wherein the angle between the first and second arms is 90°.

Claim 35 (currently amended):

The building element of claim [[33]] 10, which has more than two arms.

Claim 36 (currently amended):

The building element of claim [[35]] 12, where there are three arms and the building element forms a T shape.

Claim 37 (currently amended):

The building element of claim [[35]] 12, wherein there are four arms and the building element forms a cruciform shape.

Claim 38 (currently amended):

The building element of claim [[35]] 12, wherein the arms lie in more than one plane.

Claim 40 (currently amended):

A building element being a joining clip adapted to mount a panel or bracket to the building element of claim [[31]] 8, the joining clip including the co-operating means and also including means for connecting the joining clip to the panel or bracket, the co-operating means including a pair of resilient arms, characterized in that the joining clip has two separate parts: a first longitudinally extending part which includes the means for connecting the joining clip to the panel or bracket and a second longitudinally extending part which includes the pair of resilient arms, the first part being adapted to mate with the second part.

Claim 41 (currently amended):

The building element of claim [[40]] 17, wherein the first part has a protrusion adapted to snap into or slide into a channel on the second part.

Claim 42 (currently amended):

The building element of claim [[40]] 17, wherein the first second part has a protrusion adapted to snap into or slide into a channel on the first part.

Claim 43 (currently amended):

The building element of claim [[40]] 17, wherein the first and second parts are made of relatively resilient material, to assist in mating one with the other.

Claim 44 (currently amended):

The building element of claim [[40]] 17, when the building element also functions as an internal drain or a seal.

Claim 45 (currently amended):

The building element of claim [[40]] 17, wherein the building element is made of a rigid material.

Claim 46 (currently amended):

The building element of claim [[45]] 22, wherein the building element is made of stainless steel.

Claim 47 (currently amended):

The building element of claim [[40]] 17, wherein the resilient arms included in the co-operating means contain grooves adapted to complement grooves in walls of the channels.